

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/834,658	04/16/2001	Sofia Yeung	50277-1010	3688
75	90 02/26/2004		EXAM	INER
DITTHAVONG & CARLSON, P.C.			FLEURANTIN, JEAN B	
10507 Braddocl Fairfax, VA 2	•	,	ART UNIT	PAPER NUMBER
			2172	
			DATE MAILED: 02/26/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

B

	Application No.	Applicant(s)				
•	Application No.	Applicant(s)	\mathcal{O}			
Office Action Commons	09/834,658	YEUNG ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jean B Fleurantin	2172				
The MAILING DATE of this communication a Period for Reply	ppears n the cover sheet witi	n the correspondence address	•			
A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory perion - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a reply within the statutory minimum of thirty od will apply and will expire SIX (6) MONT rute, cause the application to become ABA	ply be timely filed (30) days will be considered timely. HS from the mailing date of this communical NDONED (35 U.S.C. § 133).	ition.			
Status						
1) Responsive to communication(s) filed on 30	December 2003 RCE.		•			
,	nis action is non-final.					
,	· 					
closed in accordance with the practice under	r <i>Ex parte Quayle</i> , 1935 C.D.	11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>39-53,55 and 58</u> is/are pending in t						
4a) Of the above claim(s) is/are withdo	rawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>39-53,55 and 58</u> is/are rejected.						
7) Claim(s) is/are objected to.	l/au alastiau vanuinamant					
8) Claim(s) are subject to restriction and	/or election requirement.					
Application Papers						
9) The specification is objected to by the Exami		U - E				
10) The drawing(s) filed on is/are: a) a						
Applicant may not request that any objection to the Replacement drawing sheet(s) including the corresponding to th			1(d)			
11) The oath or declaration is objected to by the						
,—	Examinor. Note the attached		•			
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for foreigna) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority docume		119(a)-(d) or (f).				
2. Certified copies of the priority docume		plication No				
3. Copies of the certified copies of the pr						
application from the International Bure	eau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a li	ist of the certified copies not r	eceived.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) 🔲 Interview Su	ummary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)	/Mail Date formal Patent Application (PTO-152)				
 Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date 	6) Other:					

Art Unit: 2172

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 28 November 2003, and 30 December 2003, has been entered. Claims 39-53, 55 and 58 remain pending for examination.

Response to Applicant' Remarks

2. Applicant's arguments filed on 28 November 2003 with respect to claims 39-53, 55 and 58 are fully considered but, have been found persuasive only to the extent that the prior art of record does not specifically teach the limitations "wherein the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table." However, Kingberg teaches such limitations.

Although the claims are interpreted in light of the specification, the limitations from the specification are not read into the claims. See In re Van Genus, 988 F.D 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Art Unit: 2172

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 39-53, 55 and 58 rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent Number 5,551,027 issued to Choy et al. ("hereinafter Choy") in view of US Patent Number 5,734,887 issued to Kingberg et al. ("hereinafter Kingberg").

As per claim 39, Choy discloses, "a method of exporting data from a table into a dump file" as each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13, (see col. 12, lines 42-47), "said table being subdivided into number of partitions" as a database table is partitioned according to the content of its records, (see col. 7, lines 12-15), said method comprising the steps of:

"selecting a fewer number of partitions of the table, than the number of partitions of the table" as the selection predicates that were applied to the global indexes must be rechecked later, i.e., when the records retrieved from the fast path must be re-certified using the original search predicates, like other database objects the coarse global index table can itself be partitioned if necessary, (see col. 9, lines 20-25). Further, in column 11, lines 24-29, Coy discloses if there is a

Art Unit: 2172

selection predicate on the partition key that can be evaluated into partition identifiers then evaluate that predicate, if there is an applicable and selective coarse global index available then obtain the qualified partition identifiers from that coarse global index, sort the partition identifiers, remove the duplicates and merge with the partition identifiers based on partition key; and

"for each of the selected partitions of the table, storing in the dump file data contained in said each of the selected partitions" as each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit, for instance on a massively distributed database system, (see col. 12, lines 44-47), "wherein data contained in a partition of the table, that is not selected is not stored in the dump file" as the partition identifier list becomes too long, it is no longer selective, the database management system may stop using the global index and release S-Locks if any are held and proceed to broadcast the query instead, if the query is not partition selective, then let the partition identifier be logically the list of all partitions send the query to each identified partition for evaluation, (see col. 11, lines 32-35). Choy does not explicitly disclose wherein the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table. However, Kingberg discloses the logical data model is used to generate a physical data representation from which a database description may be produced via standard database description language, the physical database is created and logical tables are divided into multiple physical tables, (see col. 18, line 35 to col. 19, line 22). It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teachings of Choy with Kingberg, thereby wherein the dump

Art Unit: 2172

file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table. Such modification would allow the teachings of Choy and Kingberg to improve the accuracy of the import/export and repartitioning of partitioned objects, and to provide making changes to the physical structure of database tables without requiring changes to applications using tables; and a level of integration for multiple applications to share common data, (see cols. 3 and 30, lines 3-5, and 29-30).

As per claims 40 and 48, Choy discloses, "wherein the fewer number of partitions is exactly one" as one or more partitions of a table may be stored in a single site, (see col. 2, lines 5-6), and column 8, lines 65-67.

As per claim 41, in addition to claim 39, Choy discloses, "a computer readable medium bearing instructions arranged, upon execution, to cause one or more processors to perform" as horizontally partitioning a database object are to partition data among multiple nodes or processors within a single database management system so as to facilitate parallel processing of a database management system query, (see col. 7, lines 21-24).

As per claim 42, in addition to claim 40, Choy discloses, "a computer readable medium bearing instructions arranged, upon execution, to cause one or more processors to perform" as horizontally partitioning a database object are to partition data among multiple nodes or processors within a single database management system so as to facilitate parallel processing of a database management system query, (see col. 7, lines 21-24).

Art Unit: 2172

As per claim 43, Choy discloses, "a method of importing data from a dump file into a relational database table" as each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit, (see col. 12, lines 42-47), said method comprising the steps of:

"retrieving from the dump file data contained in selected partitions of a first relational database table" as data retrieval a non unique global index is used primarily for target partition selection, the local results obtained from these target partitions are then merged to form the actual result, (see col. 11, lines 55-58), "wherein the selected partitions are a subset of a total number of partitions of the first relational database table" as a table managed by a relational database management system may be horizontally partitioned such that each record of the object is stored in one of the many partitions of the object, each partition of the object is typically associated with a group of physically storage that is disjoint from those of the other partitions, (see col. 7, lines 12-19); and

"importing the data contained in selected partitions into corresponding partitions of a second relational database table" as the selection predicates that were applied to the global indexes must be rechecked later, i.e., when the records retrieved from the fast path must be recertified using the original search predicates, like other database objects, the coarse global index table can itself be partitioned if necessary, (see col. 9, lines 20-25), "wherein the corresponding partitions are a subset of a total number of partitions of the second relational database table" as the method involves creating a local index table for each partition of the database and creating a coarse global index table containing one unique global index entry for

Art Unit: 2172

each distinct local index key value in each local index table, the local index table contains one local index entry for each object of interest in the corresponding partition of the table, each local index entry consists of an object identifier such as a record pointer, (see col. 8, lines 44-52). Choy does not explicitly disclose wherein the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table. However, Kingberg discloses the logical data model is used to generate a physical data representation from which a database description may be produced via standard database description language, the physical database is created and logical tables are divided into multiple physical tables, (see col. 18, line 35 to col. 19, line 22). It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teachings of Choy with Kingberg, thereby wherein the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table. Such modification would allow the teachings of Choy and Kingberg to improve the accuracy of the import/export and repartitioning of partitioned objects, and to provide making changes to the physical structure of database tables without requiring changes to applications using tables; and a level of integration for multiple applications to share common data, (see cols. 3 and 30, lines 3-5, and 29-30).

As per claims 44 and 52, Choy discloses, "wherein the subset of the total number of partitions is exactly one" as one or more partitions of a table may be stored in a single site, (see col. 2, lines 5-6).

Art Unit: 2172

As per claims 45 and 53, Choy discloses, "a computer readable medium bearing instructions arranged, upon execution, to cause one or more processors to perform" as horizontally partitioning a database object are to partition data among multiple nodes or processors within a single database management system so as to facilitate parallel processing of a database management system query, (see col. 7, lines 21-24).

As per claim 46, Choy discloses, "a method of exporting data from a database object into a dump file" as each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13, (see col. 12, lines 42-47), said method comprising the steps of:

"subdivided the database object into number of partitions" as a table managed by a relational database management system may be horizontally partitioned such that each record of the object is stored in one of the many partitions of the object, (see col. 7, lines 12-15);

"selecting a fewer number of partitions than the number of partitions" as the selection predicates that were applied to the global indexes must be rechecked later, when the records retrieved from the fast path must be re-certified using the original search predicates, like other database objects the coarse global index table can itself be partitioned if necessary, (see col. 9, lines 20-25). Further, in column 11, lines 24-29, Coy discloses if there is a selection predicate on the partition key that can be evaluated into the partition identifiers then evaluate that predicate, if there is an applicable and selective coarse global index available, then obtain the qualified

Art Unit: 2172

partition identifiers from that coarse global index, sort the partition identifiers, remove the duplicates and merge with the partition identifiers based on partition key, if they exist; and

"for each of the selected partitions, storing in the dump file data contained in said each of the selected partitions" as each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit, for instance on a massively distributed database system; similarly to the description provided by the specification on page 1, lines 9-13, (see col. 12, lines 43-47), "wherein data contained in a partition that is not selected is not stored in the dump file" as the partition identifier list becomes too long, i.e., it is no longer selective, the database management system may stop using the global index and release S-Locks if any are held and proceed to broadcast the query instead, if the query is not partition selective, then let the partition identifier be logically the list of all partitions, send the query to each identified partition for evaluation, (see col. 11, lines 32-35). Choy does not explicitly disclose wherein the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table. However, Kingberg discloses the logical data model is used to generate a physical data representation from which a database description may be produced via standard database description language, the physical database is created and logical tables are divided into multiple physical tables, (see col. 18, line 35 to col. 19, line 22). It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teachings of Choy with Kingberg, thereby wherein the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table. Such modification would allow the teachings of

Art Unit: 2172

Choy and Kingberg to improve the accuracy of the import/export and repartitioning of partitioned objects, and to provide making changes to the physical structure of database tables without requiring changes to applications using tables; and a level of integration for multiple applications to share common data, (see cols. 3 and 30, lines 3-5, and 29-30).

As per claims 47 and 51, Choy discloses, "wherein the database object includes one of a relational database table, a database data container, and object oriented database object class", (see col. 7, lines 10-20).

As per claim 49, the limitations of claim 49 are rejected in the analysis of claim 45, and this claim is rejected on that basis.

As per claim 50, Choy discloses, "a method of importing data from a dump file into a database object" as each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13, (see col. 12, lines 42-47), said method comprising the steps of:

"retrieving from the dump file data contained in selected partitions of a first database object" as for data retrieval a non unique global index is used primarily for target partition selection, the local results obtained from these target partitions are then merged to form the actual result, (see col. 11, lines 55-58), "wherein the selected partitions are a subset of a total number of partitions of the first database object" as a table managed by a relational database

Art Unit: 2172

management system may be horizontally partitioned such that each record of the object is stored in one of the many partitions of the object, each partition of the object is typically associated with a group of physically storage that is disjoint from those of the other partitions, (see col. 7, lines 12-19); and

"importing the data contained in selected partitions into corresponding partitions of a second database object" as the selection predicates that were applied to the global indexes must be rechecked later, when the records retrieved from the fast path must be recertified using the original search predicates, like other database objects the coarse global index table can itself be partitioned if necessary, (see col. 9, lines 20-25), "wherein the corresponding partitions are a subset of a total number of partitions of the second database object" as the method involves creating a local index table for each partition of the database and creating a coarse global index table containing one unique global index entry for each distinct local index key value in each local index table, the local index table contains one local index entry for each object of interest in the corresponding partition of the table, each local index entry consists of an object identifier such as a record pointer, (see col. 8, lines 44-52). Choy does not explicitly disclose wherein the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table. However, Kingberg discloses the logical data model is used to generate a physical data representation from which a database description may be produced via standard database description language, the physical database is created and logical tables are divided into multiple physical tables, (see col. 18, line 35 to col. 19, line 22). It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teachings of Choy with Kingberg, thereby wherein

Art Unit: 2172

the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions on the table. Such modification would allow the teachings of Choy and Kingberg to improve the accuracy of the import/export and repartitioning of partitioned objects, and to provide making changes to the physical structure of database tables without requiring changes to applications using tables; and a level of integration for multiple applications to share common data, (see cols. 3 and 30, lines 3-5, and 29-30).

As per claims 55 and 58, Choy discloses a method, "wherein the storing includes exporting the data contained in each of the selected partitions of the table into the dump file" as each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13, (see col. 12, lines 42-47).

Prior Art

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Bridge, Jr. et al. US Patent Number 5,873,102 relates to computer systems.

Art Unit: 2172

Contact Information

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B Fleurantin whose telephone number is 703-308-6718. The examiner can normally be reached on 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BREENE JOHN E can be reached on 703-305-9790. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Jean Bolte Fleurantin

February 21, 2004

SHAHID ALAM SHAHID EXAMINER PRIMARY EXAMINER